

Art Unit: 1619

The information disclosure statement filed 10/28/10 fails to comply with 37 CFR 1.97(d) because it lacks the fee set forth in 37 CFR 1.17(p). It has been placed in the application file, but the information referred to therein has not been considered.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to JYOTHSNA A. VENKAT whose telephone number is 571-272-0607. The examiner can normally be reached on Monday-Friday, 10:30-7:30:1st Friday off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, EYLER YVONNE (BONNIE) can be reached on 571-272-0871. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/JYOTHSNA A VENKAT /
Primary Examiner, Art Unit 1619